



**SAMETA
METAL PRO**

PREMIUM SADDLE RACKS

ENGINEERED FOR EXCELLENCE.
BUILT TO ORGANIZE.



SUPERIOR
DURABILITY



ADVANCED
STORAGE



HEAVY-DUTY
METAL




MODULAR
DESIGN



Sheet metal fabrication company
Forging Your Vision in Metal

<https://sameta.in>







Prime **60,000 Sq Ft** Industrial Property
Adjacent to Port

- **Founded-** 2009
- **Ownership-** Privately owned
- **Location-** Chennai, India
- **Factories-** Two well-equipped
- **Products-**
 - Digital-first consumer products
 - Retail fixtures and accessories
 - E-commerce warehouse equipment
- **Market Presence-**
 - Strong domestic and export footprint

- Sound understanding of key success factors for exports
- Located on the port
- **Located in the South, well positioned to cover South, West and parts of East India**
- 15 years experience in exports of steel products
- All licenses for exports are available
- 140 well trained & talented team members across all functions
- Culture of Integrity, Transparency, Teamwork & Innovation





- **Strong Customer Base**

- Customers across Offline & Online retailers
- Serving top Indian retailers as a strategic supplier
- **Established as a sound China alternative for customers**

- **End to End Capability**



- Design, Manufacture, Service & Installation
- Digital Active Consumer products
- **Reliable supplier base for all products, steel and BOP items**




- **Full Range of Equipment, All under One Roof**

- Roll forming
- Tube punching
- Power Press & dedicated tooling
- Turret
- Laser
- Press brake
- Robot welding
- Good fabrication shop
- Wood panel saw & auto edge banding
- Auto spray powder coat line

The above manufacturing setup, will allow us to scale to 1000 nos/day very fast



- Mfg. model designed for High Volume / High Mix business
- Sound understanding of digital retail nuances
- Processes aligned to deliver global quality such as Paint / Fabrication / Packaging
- Good Supplier base eco system around the units
- Sound factory processes to enable customer quality, cost & delivery
- Highly skilled, well trained & engaged team




- ✓ fold down western & english saddle rack
- ✓ portable fold down saddle rack
- ✓ english saddle rack
- ✓ folding saddle stand
- ✓ folding saddle rack on wheels
- ✓ saddle rack with pad bar (x2)
- ✓ 4 tier mounted saddle racks
- ✓ 5 tier mounted saddle racks
- ✓ 3 tier mounted saddle racks
- ✓ 2 tier mounted saddle racks
- ✓ portable multi saddle racks (x2)
- ✓ saddle caddy wheeler
- ✓ saddle wheeler
- ✓ show cart with saddle rack
- ✓ saddle and tack cart
- ✓ heavy duty blanket rack
- ✓ mounted blanket/pad rack
- ✓ heavy duty blanket rack
- ✓ safety first hay rack
- ✓ safety first large hay rack
- ✓ flat wall slow feed floor hay rack
- ✓ safety first hay rack lid
- ✓ safety first large hay rack lid
- ✓ corner floor hay rack – no lid
- ✓ corner floor hay rack with lid
- ✓ safety first corner hay rack
- ✓ 5 tier interchangeable saddle rack system with custom options
- ✓ 10 arm vertical pad rack
- ✓ 5 arm vertical pad rack
- ✓ 10 hook tack rack
- ✓ mounted wide groom room with tack rack
- ✓ basket & tack rack
- ✓ single mount saddle rack
- ✓ saddle & grooming box cart
- ✓ hook on car seat saddle rack
- ✓ netted webbing lid for 42409 hay rack



Carrying Capacity	Up to 50 Kgs
Dimensions	Inch
Length	24
Width	7 ¾
Height	15

Features	Specification
Material Specs	Durable 3/4" tubular steel
Standard Dimensions	24" L x 7 ¾" W x 15" H
Load Capacity	Up to 50 Kgs (110 lbs)
Finish	Black/copper hammered finish
Mounting	Wall-mounted (designed for stall front walls or tack room walls)
Features	- Fold-down design to save space when not in use - Compatible with both Western and English saddles - Equipped with a built-in metal hook for hanging bridles or other tack
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 50 Kgs
Dimensions	Inch
Length	24
Width	7.75
Height	15.5

Features	Specification
Material	3/4" tubular steel
Standard Dimensions	24" L × 7.75" W × 15.5" H
Load Capacity	Max 50 Kgs (110 lbs)
Finish	Black hammered finish
Mounting	Adjustable hanging hook (fits 1.25" to 2.25" widths)
Warranty	5-year warranty against breakage



DURABLE



ACCOMODATES ENGLISH
AND WESTERN SADDLES




Carrying Capacity	Up to 50 Kgs
Dimensions	Inch
Length	21
Width	10.5
Height	10.5

Features	Specification
Material	1/2" steel frame with powder coating
Standard Dimensions	21" L × 10.5" W × 10.5" H
Load Capacity	Max 50 Kgs (110 lbs)
Finish	Rust-resistant black powder coating
Mounting	Wall-mount (4 pre-drilled holes, hardware not included)



DURABLE



PERFECT FIT



Carrying Capacity

Up to 50 Kgs

Dimensions

Inch

Length

24.5

Width

24.5

Height

36

Features	Specification
Material	Heavy-duty 7/8" steel tubing
Standard Dimensions	36" H × 24.5" L × 24.5" W
Load Capacity	Max 50 Kgs (110 lbs)
Finish	Black powder-coated finish
Design	Freestanding, foldable stand





FOLDS FLAT FOR STORAGE

Carrying Capacity	Up to 100 Kgs
Dimensions	Inch
Length	24.25
Width	24.25
Height	35.5

Features	Specification
Material	Heavy-duty 7/8" steel tubing
Standard Dimensions	35.5" H × 27.75" L × 24.25" W
Load Capacity	Up to 100 Kgs (approx. 220 lbs) total static load to account for heavy saddles, loaded grooming bags, and dynamic movement over terrain.
Mobility & Design	Portable folding design with 8" all-terrain wheels and a 9.75" drop-down steering handle
Warranty	5-year warranty against breakage



HEAVY DUTY RACK
WITH BOTTOM STORAGE



Carrying Capacity	Up to 100 Kgs
Dimensions	Inch
Length	27.75
Width	24.25
Height	35.5

Features	Specification
Material	Heavy-duty 7/8" steel tubing
Standard Dimensions	35.5" H × 27.75" L × 24.25" W
Load Capacity	Up to 100 Kgs (approx. 220 lbs) total static load to account for heavy saddles, loaded grooming bags, and dynamic movement over terrain.
Mobility & Design	Portable folding design with 8" all-terrain wheels and a 9.75" drop-down steering handle
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 100 Kgs
Dimensions	Inch
Length	24
Width	12
Height	10

Features	Specification
Material	Heavy-duty steel tubing
Standard Dimensions	24" L × 12" W × 10" H
Load Capacity	Easily holds heavy 35+ lb saddles (Rated up to 100 Kgs/220 lbs when mounted directly to wall studs)
Finish	Black powder-coated with a protective vinyl layer
Mounting	Permanent wall-mount (secured via 4 screws)



DOUBLE PAD BAR



HEAVY DUTY, GUARANTEED

4-Tier Mounted Saddle Rack



Carrying Capacity	Up to 100 Kgs
Dimensions	Inch
Length	24
Width	12
Height	10

Features	Specification
Material Specs	Heavy-duty steel with a rust-resistant Gray Armor coating
Dimensions	Adjustable assembled height (Shipping box dimensions: 32" L x 22" W x 6" H)
Load Capacity	Built for heavy duty (Max capacity ~45 Kgs per tier / ~180 Kgs total when securely mounted to wall studs)
Finish	Gray Armor rust-resistant finish
Mounting	Permanent wall-mount (Hardware included)



HOLDS 4 SADDLES AND CAN BE MOUNTED ANYWHERE!



LARGE CAPACITY

3-Tier Mounted Saddle Rack



Carrying Capacity	Up to 90 Kgs
Dimensions	Inch
Length	25
Width	10.5
Height	25

Features	Specification
Material Specs	Heavy-duty steel construction
Standard Dimensions	25" H × 10.5" W × 25" D (Saddle arms are 23.5" D)
Load Capacity	~45 Kgs per tier (~90 Kgs/200 lbs total) when securely mounted to wall studs
Finish	Durable black coated finish
Mounting	Permanent wall-mount (Secures to the wall at the top and bottom of the frame)




Mounted 2-Tier Saddle Rack



Carrying Capacity	Up to 135 Kgs
Dimensions	Inch
Length	25
Width	10.5
Height	39

Features	Specification
Material Specs	Heavy-duty steel construction
Standard Dimensions	39" H × 10.5" W × 25" D (Saddle arms are 23.5" D)
Load Capacity	~45 Kgs per tier (~135 Kgs/300 lbs total) when securely mounted to wall studs
Finish	Durable black coated finish
Mounting	Permanent wall-mount (Secures to the wall at the top and bottom of the frame)



SPACE SAVING DURABLE DESIGN



3 Tier Portable Multi Saddle Rack



Carrying Capacity	Up to 90 Kgs
Dimensions	Inch
Length	25
Width	10.5
Height	25

Features	Specification
Material Specs	Heavy-duty steel construction
Standard Dimensions	25" H × 10.5" W × 25" D (Saddle arms are 23.5" D)
Load Capacity	~45 Kgs per tier (~90 Kgs/200 lbs total) when securely mounted to wall studs
Finish	Durable black coated finish
Mounting	Permanent wall-mount (Secures to the wall at the top and bottom of the frame)



CAN BE DISASSEMBLED
AND ASSEMBLED IN MINUTES



CAN HOLD YOUR ENGLISH OR
WESTERN SADDLES EFFORTLESSLY



Carrying Capacity	Up to180Kgs
Dimensions	Inch
Length	25
Width	30
Height	72

Features	Specification
Material Specs	Heavy-duty 1.5" square steel tubing frame and base
Standard Dimensions	72" H × 30" W (base); features 25" long saddle arms with a 14" gap between tiers
Load Capacity	Built for heavy-duty use (~45 Kgs / 100 lbs per tier; ~180 Kgs / 400 lbs total)
Finish	Black powder-coated finish
Mounting & Design	Free-standing, portable upright design



CAN BE DISASSEMBLED
AND ASSEMBLED IN MINUTES



CAN HOLD YOUR ENGLISH OR
WESTERN SADDLES EFFORTLESSLY



Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	32
Width	11
Height	31


Features	Specification
Material Specs	1" galvanized steel tubing
Standard Dimensions	31" H × 11" W × 32" L (Removable Basket: 13" H × 9.5" W × 17.5" L)
Load Capacity	Heavy-duty support for large Western saddles and gear (~50 Kgs / 110 lbs)
Mobility & Design	Portable folding cart with 8" hard rubber maintenance-free wheels
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	32
Width	11
Height	31

Features	Specification
Material Specs	1" galvanized steel tubing
Standard Dimensions	31" H × 11" W × 32" L
Load Capacity	Built for heavy-duty use (Supports the heaviest Western saddles; ~50 Kgs / 110 lbs)
Mobility & Design	Folding rolling cart with 8" hard rubber wheels
Warranty	5-year warranty against breakage



STORES EASILY
WHEN NOT IN USE



DURABLE CONSTRUCTION



Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	32
Width	16
Height	41

Features	Specification
Material Specs	Durable black tubular steel
Standard Dimensions	Cart: 41" H × 16" W (Saddle rack portion: 32" L × 18" W)
Load Capacity	Built for heavy-duty use to hold large saddles and loaded baskets (~50 Kgs / 110 lbs)
Mobility & Design	Portable show cart with 8" hard rubber wheels and a cushioned, angled hand grip
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	32
Width	16
Height	41



Features	Specification
Material Specs	Heavy-duty square stock steel frame
Standard Dimensions	52" H (features 24" L saddle racks). Basket dimensions: 18" L x 14" W x 7" D.
Load Capacity	Built to hold 2 heavy saddles plus additional gear (~90 Kgs / 200 lbs)
Mobility & Design	Portable upright rolling cart with 8" hard rubber all-terrain wheels
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 90Kgs
Dimensions	Inch
Length	32
Width	29.5
Height	33


Features	Specification
Material Specs	1" diameter durable powder-coated steel bars
Standard Dimensions	29.5" W × 32" L × 33" D (when fully extended)
Load Capacity	Includes 5 swivel hanging bars (each capable of holding heavy winter horse blankets)
Mounting	Permanent wall-mount system (complete frame and mounting hardware included)
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 90Kgs
Dimensions	Inch
Length	34
Width	21
Height	8



Features	Specification
Material Specs	Durable metal tubing
Standard Dimensions	Frame: 16" W × 10" L; features 6 swivel arms measuring 34" L each (Overall footprint approx. 34" L × 21" W × 8" H)
Load Capacity	Features 6 independent heavy-duty arm slots for holding wet blankets, coolers, or saddle pads
Finish	Black powder-coated finish for long-lasting durability
Mounting	Permanent wall-mount (Hardware included)
Warranty	5-year warranty against breakage





Carrying Capacity	Up to 90Kgs
Dimensions	Inch
Length	34
Width	21
Height	8

Features	Specification
Material Specs	Heavy-duty powder-coated steel construction
Standard Dimensions	33" W × 31" L (Swing arms measure approx. 30" long)
Load Capacity	Features 6 heavy-duty swing arms designed to hold multiple heavy winter horse blankets, sheets, or coolers
Finish	Durable rust-resistant black powder coat
Mounting	Permanent wall-mount system (hardware included)
Warranty	5-year warranty against breakage



LARGE CAPACITY



Carrying Capacity	Up to 90Kgs
Dimensions	Inch
Length	12
Width	24
Height	18

Features	Specification
Material Specs	Heavy-duty steel tubing with a smooth, protective finish
Standard Dimensions	Compact wall-hanging design (approx. 24" W × 18" H × 12" D)
Load Capacity	High-capacity basket holds several flakes of hay securely
Mounting	Easy over-stall or wall-mount hanging design
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty steel tubing with a smooth, protective finish





Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	12
Width	24
Height	21

Features	Specification
Material Specs	Heavy-duty tubular steel construction
Standard Dimensions	Compact flat-wall profile (approx. 24" W × 24" H × 12" D)
Load Capacity	High-capacity design holds multiple hay flakes (~25–30 Kgs / 50–65 lbs)
Design & Mounting	Flat-wall profile engineered to sit flush against stall walls
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel construction



A WALL HAY RACK THAT'S
FLAT AGAINST THE WALL






PREVENT HAY WASTE

Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	24
Width	24
Height	30

Features	Specification
Material Specs	Heavy-duty tubular steel
Standard Dimensions	Corner-fitting design (approx. 30" H × 24" W × 24" D)
Load Capacity	High-capacity design holds multiple hay flakes (~25–30 Kgs / 50–65 lbs)
Design & Mounting	Floor-standing corner design with an open-top profile
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel



KEEP HAY IN THE CORNER



Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	24
Width	24
Height	30

Features	Specification
Material Specs	Heavy-duty tubular steel construction
Standard Dimensions	Corner-fitting design (approx. 30" H × 24" W × 24" D)
Load Capacity	High-capacity design holds multiple hay flakes (~25–30 Kgs / 50–65 lbs)
Design & Mounting	Floor-standing corner unit with an integrated slow-feed top grid
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel construction



PROMOTE HEALTHY, SLOW
EATING IN A NATURAL POSITION



Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	24
Width	24
Height	30

Features	Specification
Material Specs	Heavy-duty tubular steel
Standard Dimensions	Corner-fitting design (approx. 30" H x 24" W x 24" D)
Load Capacity	High-capacity design holds multiple hay flakes (~25–30 Kgs / 50–65 lbs)
Design & Mounting	Corner-mounted design with safety-first bar spacing
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel





SPACE SAVER

Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	24
Width	--
Height	--

Features	Specification
Material Specs	Durable steel frame with a rust-resistant Gray Armor finish
Standard Dimensions	Features (10) removable 24" long pad rack arms
Load Capacity	High-capacity vertical storage built for multiple heavy saddle pads, blankets, and coolers
Mounting & Design	Portable wall-hanging design with a bottom stabilizing bar
Warranty	5-year warranty against breakage
Material Specs	Durable steel frame with a rust-resistant Gray Armor finish



MADE TO LAST GUARANTEED




DRIES PADS QUICKLY




Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	24
Width	--
Height	--

Features	Specification
Material Specs	Durable steel frame with a rust-resistant Gray Armor finish
Standard Dimensions	Features (5) removable 24" long pad rack arms
Load Capacity	High-capacity vertical storage built for multiple heavy saddle pads, blankets, and coolers (~5 pads total)
Mounting & Design	Portable wall-hanging design with a bottom stabilizing bar
Warranty	5-year warranty against breakage
Material Specs	Durable steel frame with a rust-resistant Gray Armor finish





SPACE SAVING PAD RACK





Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	46
Width	2.5
Height	6


Features	Specification
Material Specs	Welded wire with a protective, scratch-resistant PVC finish
Standard Dimensions	46" L x 2.5" W x 6" H (1/4" frame thickness)
Load Capacity	Lightweight yet durable design built to hold multiple bridles, halters, leads, and lunge lines (~1 lb unit weight)
Mounting & Design	Adaptable for permanent mounting (using screws and washers) or portable use (with zip ties or utility hooks)
Warranty	5-year warranty against breakage
Material Specs	Welded wire with a protective, scratch-resistant PVC finish





Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	4.5
Width	16
Height	6


Features	Specification
Material Specs	Heavy-duty steel wire construction with a durable black-coated finish
Standard Dimensions	Features (3) wide baskets measuring 16" W × 6" D × 4.5" T each
Load Capacity	High-capacity storage robust enough to hold gallon-sized jugs, boots, and heavy grooming supplies (~20–30 Kgs / 44–66 lbs total)
Mounting & Design	Permanent wall-mount design (mounting hardware included) with adjustable hanging rods for customizable basket positioning
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty steel wire construction with a durable black-coated finish





Carrying Capacity	Up to 30Kgs
Dimensions	Inch
Length	20
Width	5.5
Height	6

Features	Specification
Material Specs	Heavy-duty black powder-coated steel construction
Standard Dimensions	22" L x 11" H (Wire basket dimensions: 20" L x 6" H x 5.5" D)
Load Capacity	Built to hold grooming bottles, supplies, plus 3 hanging hooks for halters and leads
Mobility & Design	Adaptable for permanent wall-mounting (screws included) or portable use (with zip ties for shows)
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty black powder-coated steel construction





Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	24
Width	--
Height	--

Features	Specification
Material Specs	Heavy-duty tubular steel with a durable rust-resistant powder coat finish
Standard Dimensions	24" L arm length (engineered to accommodate standard English and Western saddles)
Load Capacity	Robust support built for individual heavy Western or English saddles (~50 Kgs / 110 lbs)
Mounting & Design	Permanent wall-mount single-arm design
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel with a durable rust-resistant powder coat finish





Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	--
Width	--
Height	--

Features	Specification
Material Specs	Heavy-duty tubular steel frame with a durable black powder-coated finish
Standard Dimensions	Ergonomic rolling design featuring a top saddle rack and integrated grooming storage box compartments
Load Capacity	Heavy-duty support for a saddle and fully loaded grooming supplies (~50 Kgs / 110 lbs)
Mobility & Design	Portable rolling cart equipped with all-terrain wheels and an angled hand grip
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel frame with a durable black powder-coated finish



BUILT-IN STORAGE BOX



Carrying Capacity	Up to 50Kgs
Dimensions	Inch
Length	--
Width	--
Height	--

Features	Specification
Material Specs	Heavy-duty tubular steel frame with a durable black powder-coated finish
Standard Dimensions	Ergonomic rolling design featuring a top saddle rack and integrated grooming storage box compartments
Load Capacity	Heavy-duty support for a saddle and fully loaded grooming supplies (~50 Kgs / 110 lbs)
Mobility & Design	Portable rolling cart equipped with all-terrain wheels and an angled hand grip
Warranty	5-year warranty against breakage
Material Specs	Heavy-duty tubular steel frame with a durable black powder-coated finish





THANK YOU

If you have a requirement for any other products made of steel,
contact us at the below email ID

sales@sameta.in

arpit@sameta.in

anirban@sameta.in