




SAMETA METAL PRO

Sheet metal fabrication company
Forging Your Vision in Metal



Supermarket





Prime **60,000 Sq Ft** Industrial Property
Adjacent to Port

- **Founded-** 2009
- **Ownership-** Privately owned
- **Location-** Chennai, India
- **Factories-** Two well-equipped
- **Products-**
 - Digital-first consumer products
 - Retail fixtures and accessories
 - E-commerce warehouse equipment
- **Market Presence-**
 - Strong domestic and export footprint

- Sound understanding of key success factors for exports
- Located on the port
- **Located in the South, well positioned to cover South, West and parts of East India**
- 15 years experience in exports of steel products
- All licenses for exports are available
- 140 well trained & talented team members across all functions
- Culture of Integrity, Transparency, Teamwork & Innovation




- **Strong Customer Base**

- Customers across Offline & Online retailers
- Serving top Indian retailers as a strategic supplier
- **Established as a sound China alternative for customers**

- **End to End Capability**



- Design, Manufacture, Service & Installation
- Digital Active Consumer products
- **Reliable supplier base for all products, steel and BOP items**




- **Full Range of Equipment, All under One Roof**

- Roll forming
- Tube punching
- Power Press & dedicated tooling
- Turret
- Laser
- Press brake
- Robot welding
- Good fabrication shop
- Wood panel saw & auto edge banding
- Auto spray powder coat line

The above manufacturing setup, will allow us to scale to 1000 nos/day very fast



- Mfg. model designed for High Volume / High Mix business
- Sound understanding of digital retail nuances
- Processes aligned to deliver global quality such as Paint / Fabrication / Packaging
- Good Supplier base eco system around the units
- Sound factory processes to enable customer quality, cost & delivery
- Highly skilled, well trained & engaged team





- ✓ Supermarket L-Type Wall Clamped Gondolas /Racks/Display Fixtures
- ✓ T-type Island Gondola /Racks/Display Fixtures
- ✓ End-Cap Gondolas /Racks/Display Fixtures
- ✓ Accessories for Gondola – Versatile Merchandising Options
- ✓ Merchandising Accessory Options _ Peg hooks
- ✓ Merchandising Accessory Options _ Straight Arm & T-Arm
- ✓ Merchandising Accessory Options _ Textile rails & Step arms
- ✓ Books display rack
- ✓ Broom Stand
- ✓ Fashion/Apparel Display Stand
- ✓ Impulse sidekicks
- ✓ Dump Bins
- ✓ Bat Bins
- ✓ 3-Tier Impulse Basket trolley
- ✓ Fruit & Vegetable Units
- ✓ Customized Checkout counters
- ✓ Stackable shopping trolleys
- ✓ Lockers and almirahs





Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	1.5' Depth×7' Height Fully modular to fit your space Per unit width range: 1' (Min) to 4' (Max)
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Shelf height adjustable via 25 mm pitch slots Variable shelf count based on requirement Optional MS Front Stopper to prevent product spillage Equipped with plastic/acrylic data strips for easy display of prices and promotions





Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	3' Depth × 6' Height Fully modular to fit your space. Per unit width range: 1' (Min) to 4' (Max)
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Shelf height adjustable via 25 mm pitch slots Variable shelf count based on requirement Optional MS Front Stopper to prevent product spillage Equipped with plastic/acrylic data strips for easy display of prices and promotions





Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	3' Width x 1.5' Depth × 6' Height
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Shelf height adjustable via 25 mm pitch slots Variable shelf count based on requirement Optional MS Front Stopper to prevent product spillage Equipped with plastic/acrylic data strips for easy display of prices and promotions

These units are placed as frontal display at the end of T-Gondola runs





Stepped Hanger



Straight Arm



T-Hanger




Hang rails



Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	1.5' Depth × 6' Height Fully modular to fit your space. Per unit width range: 1' (Min) to 4' (Max)
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Adjustable shelving for customized displays Multiple accessory mounts enabling diverse product arrangement Quick-change accessories streamline re-merchandising Ideal for clothing, accessories, and general merchandise
Multiple accessory mounts: hang rail, stepped hanger, T hanger, straight arm	







Peg hooks



Impulse side
kicks





Wire shelf



Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	3' Depth × 6' Height Fully modular to fit your space. Per unit width range: 1' (Min) to 4' (Max)
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Adjustable shelving for customized displays. Multiple accessory mounts enabling diverse product arrangement. Quick-change accessories streamline re-merchandising Ideal for clothing, accessories, and general merchandise.
Multiple accessory mounts: impulse side kick, wire shelving, peg hooks	





Category	Details
Material Specs	Tubular Uprights (60x40 mm Rectangular Section) Shelves: ≈0.8 mm, Back Cladding: ≈0.6 mm (CR Sheet)
Standard Dimensions	3' Depth × 6' Height Fully modular to fit your space. Per unit width range: 1' (Min) to 4' (Max)
Load Capacity	Max 120 Kgs UDL per shelf
Finish	Powder Coated in any customer-preferred color
Features	Adjustable shelving for customized displays Multiple accessory mounts enabling diverse product arrangement Quick-change accessories streamline re-merchandising Ideal for clothing, accessories, and general merchandise
Multiple accessory mounts: peg hooks, rails, hangers.	





Category	Details
Material Specs	High-strength mild steel rod (typically 4–6 mm)
Standard Dimensions	Available in multiple lengths (e.g., 100 mm, 150 mm, 200 mm, custom on request)
Load Capacity	Designed for light to medium-duty hanging (varies by length, typically 2–5 kg per hook)
Finish	Durable powder-coated, chrome-plated, or zinc-plated for corrosion resistance
Features	Smooth round tip for product safety - Easy, tool-free installation and repositioning - Ideal for hanging blister packs, small accessories, impulse items - Secure mounting to prevent swivel/tilt - Low-profile design maintains clean visual lines





	Category	Details
	Material Specs	Made from high-strength mild steel tubing; welded construction for durability
	Standard Dimensions	Straight Arm: 300–500 mm (custom sizes available) T Hanger: 400–750 mm width (custom sizing on request)
	Load Capacity	Supports heavy handbags, backpacks, purses—typically 8–18 kg, depending on model and rack strength
	Finish	Premium powder-coated or chrome-plated finish for corrosion resistance and lasting use
	Features	Clean, smooth edges to protect products - Robust welded joints - Double-sided (T Hanger) to increase display capacity - Ideal for attractive face-out merchandising of bags and apparel - Tool-free installation and repositioning
	Merchandising Value	Efficient use of vertical and horizontal space, enhances store organization, and maximizes product visibility





Category	Details
Material Specs	High-quality mild steel tube/rod, welded for extra strength
Standard Dimensions	Standard Sizes Textile Bar: 600–1200 mm typical length (custom on request) Step Arm: 300–500 mm projection
Load Capacity	Designed to safely hold multiple clothing hangers; supports 12–20 kg per fitting
Finish	Premium powder-coated or chrome plating for lasting durability and sleek retail look
Features	Ideal for hanging garments using standard hangers - Step Arm includes end stopper to prevent hangers sliding off - Textile Bar provides straight, maximized display space for shirts, jackets, dresses - Smooth finish protects garments from snags - Tool-free mounting and easy repositioning for flexible display arrangements
Merchandising Value	Enables neat, accessible presentation of apparel; increases visibility, improves customer shopping experience, and keeps displays organized







Category	Details
Material Specs	Uprights: 40x60 mm tubular rectangular cross section mild steel Back panels: 0.6 mm CR sheet Shelves: 1.0/1.2 mm CR sheet
Standard Dimensions	Typically, 3'-4' width × 1.5'-2' depth × 4'-5' height (customizable as needed)
Load Capacity	Each shelf rated for up to 50 kg Uniformly Distributed Load (UDL) for safe, secure display
Shelf Design	Angled multi-tier shelves for effective book visibility; raised shelf lips to prevent books slipping
Finish	Premium powder-coated surface for durability Available in any color as per customer requirement
Features	Ideal for displaying books, magazines, and comics - Enhanced customer browsing experience - Easy to clean and maintain - Adjustable shelves to fit different book sizes - Optional branding panel for signage or promotions



Suited for supermarkets, bookstores, and library retail zones; perfect for impulse or feature displays



Category	Details
Material Specs	Fabricated from 8–10 mm diameter mild steel rods; all connections fully welded for structural strength
Dimensions	Customizable; typical size accommodates 30–40 standard broom sticks
Load Capacity	Easily displays 30–40 brooms upright; suitable for various broom lengths and styles
Finish	Corrosion-resistant powder-coated surface; any color available as per customer requirement
Features	- Collapsible design for easy transportation and storage - Open wire structure for clear product display and airflow - Rigid grid keeps brooms upright, organized - Lightweight yet durable for convenient movement - Optional top signage holders for promotions or pricing - Simple to clean and maintain




Ideal for supermarkets, convenience stores, and general retail—perfect for entryways or impulse zones



Category	Details
Material Specs	Sturdy mild steel frame, welded joints, with precision slots for bar and shelf adjustment
Standard Dimensions	Height: 1350–1500 mm (53–59") Width: 1200 mm (48") Depth: 600 mm (24")
Load Capacity	Holds up to 30–36 apparel hangers (12–18 per bar, two bars typical) - Shelf load rating: 25 kg UDL per shelf - Hanging bar load rating: 15 kg per bar
Finish	Premium powder-coating in any color per customer requirements
Features	Adjustable hanging bars for custom number of garments - Display height is fully adjustable - Modular shelves for folded apparel - Smooth rails to protect fabric - Tool-free assembly and repositioning - Stable frame for heavy retail use
Merchandising Value	Optimizes garment visibility and access, supports fast re-merchandising, ideal for apparel/fashion zones







Category	Details
Material Specs	Mild steel wire construction (typically 6–8 mm diameter rods); full welded joints for durability
Dimensions	Height: 900–1200 mm, Width: 400–600 mm, Depth: 150–250 mm (customizable as needed)
Load Capacity	Holds up to 40–60 impulse-pack products; multiple shelves or hanging options for various merchandise
Finish	Long-lasting powder-coated surface; color options available to match store brand or decor
Features	Slim, vertical profile fits tight spaces and endcaps - Can be easily attached to racks, gondolas, or wall surfaces - Ideal for impulse-buy items: batteries, toothbrushes, razors, small packs, etc. - Open grid design for product visibility and ventilation - Quick, tool-free installation and repositioning




Strategic placement at aisle ends, near checkouts, or high-traffic areas maximizes impulse sales opportunities



Category	Details
Material Specs	Manufactured using 6–8 mm diameter mild steel wire and rods; robust full-frame welded construction
Dimensions	700 mm x 700 mm x 800 mm (L x W x H) or as per customer requirement
Load Capacity	Holds up to 80–100 liters volume, suitable for bulk merchandise (balls, toys, plush items, packaged goods, etc.) Rated for 40–50 kg UDL (Uniformly Distributed Load)
Finish	Powder-coated for rust and chip resistance; available in multiple standard or custom colors
Features	Open wire mesh design for clear product visibility - Easy-access top for grab-and-go shopping - Stable, non-tipping feet - Optional signage holder for price or promo details - Flat-pack/collapsible design for easy storage and transport - Quick tool-free assembly



Best for supermarket aisles, entrance areas, or promotional event zones—ideal for fast-moving, high-impulse products





Category	Details
Material Specs	Sturdy mild steel tubular frame; mesh panel sides and base for ventilation and visibility
Dimensions	Typical size: 450 mm x 350 mm x 650 mm (L x W x H); can be customized
Load Capacity	Holds 15–20 cricket bats, baseball bats, or similar sports equipment
Finish	Powder-coated for rust and chip resistance; available in various colors
Features	Open-top design for quick grab-and-go access - Rounded corners for safety - Mesh base prevents rolling, keeps bats upright - Lightweight yet strong for easy repositioning - Flat base for stable floor placement - Easy to clean and maintain



Ideal for sports stores, supermarkets, or school equipment zones—perfect for bulk bat display



3-Tier Impulse Basket trolley




Category	Details
Material Specs	Manufactured using 6–8 mm diameter mild steel wire and rods; robust full-frame welded construction
Dimensions	700 mm x 700 mm x 800 mm (L x W x H) or as per customer requirement
Load Capacity	Holds up to 80–100 liters volume, suitable for bulk merchandise (balls, toys, plush items, packaged goods, etc.) Rated for 40–50 kg UDL (Uniformly Distributed Load)
Finish	Powder-coated for rust and chip resistance; available in multiple standard or custom colors
Features	Open wire mesh design for clear product visibility - Easy-access top for grab-and-go shopping - Stable, non-tipping feet - Optional signage holder for price or promo details - Flat-pack/collapsible design for easy storage and transport - Quick tool-free assembly



Ideal for impulse zones, entryways, promotional aisles, checkout counters, and special offers



Category	Details
Material Specs	Uprights: 60x40 mm rectangular tubular mild steel Shelves: 25/20 mm square tube, fully welded framework
Dimensions	Height: 1250–1500 mm (adjustable) Width: 600–1500 mm (customizable to store size) Depth: 600–750 mm
Shelf System	Tubular trays on frame; shelf height can be individually adjusted per tier
Capacity	Each shelf supports 35–40 kg UDL; overall rack rated for 120–150 kg (based on shelf count/configuration)
Finish	Premium powder-coated surface for corrosion resistance Color customizable; green most common in produce zones
Features	Optional mirror canopy for enhanced product visibility - Integrated lighting system for better display - Adjustable shelf and overall rack height to fit any produce type - Removable trays for cleaning and restocking - Tool-free assembly and repositioning - Smooth edges for shopper safety - Can be fitted with wheels for mobility



Category	Details
Material Specs	Body: CRCA powder-coated steel panels in orange, blue, or mixed Top: High-grade stainless steel (SS304), flat or inclined rails
Dimensions	Length: 900–1200 mm Width: 600–800 mm Height: 850–900 mm (custom sizes available)
Customization	Structure and modules (drawers/cabinets/side shelves) configurable; color as per customer need; option for impulse accessory integration
Finish	Durable, scratch-resistant powder coating; color options in orange or blue per store branding
Features	- Full under-counter support for cash registers, computers, scanners, payment terminals - Lockable drawers/cabinets for cash management (Number of drawers is as per customer need) - SS top for hygienic, easy-clean checkout zone - Impact-proof edges for safety (slide-top models feature raised protection rails) - Cable management provisions for electronics - Castor or static base options for flexibility - Accessible design for staff comfort and quick service



Category	Details
Material Specs	Stainless steel or powder-coated mild steel construction
Dimensions	Length: 742–900 mm Width: 460–550 mm Height: 940–980 mm
Capacity	Multiple basket volumes: 60L, 80L, 100L, or custom
Finish	Durable, rust-resistant finish; available in multiple colours
Features	- Easy-glide caster wheels for mobility - Nestable design for space-saving storage - Ergonomic handle for comfortable grip - Optional child seat or utility basket





Category	Details
Material Specs	CRCA or mild steel construction, full welded body
Finish	Durable powder coating, various color options
Configuration	Multiple compartments: 4 to 24 doors per unit
Dimensions	Standard unit: 1800 mm (H) x 900 mm (W) x 450 mm (D) (for 12, 15, or 18 door lockers) Custom sizes available
Features	- Individual lockable doors - Name card holders - Ventilation slots - Optional legs/base stand



THANK YOU

If you have a requirement for any other products made of steel,
contact us at the below email ID

sales@sameta.in

arpit@sameta.in

anirban@sameta.in